

Software Release Notes

dSS V1.11.1

The digitalSTROM AG uses Software Release Notes (SRN) to provide information about software changes and updates of existing products.

Document-Number	SRN-1603
Date/Version	06.04.2016 / v1.0

Important: when updating from version 1.10.3, the update dialog will not close automatically. Therefore, the Configurator must be reloaded manually latest 30 minutes after the update started.

New Features

Configure network device access

When using one or multiple P44-EnOcean/DALI Bridges along with several digitalSTROM-servers within the same network, the bridges might not be connected to expected server. If so, the correct connection must be configured on every dSS, as each bridge must be connected to one dSS only.

The connection between the dSS and P44-Bridge can be activated or deactivated within the *System / Access Authorization* menu.

Network devices access

Connect to compatible local networked devices. Normally, these devices are connected automatically. When required, the connection can be activated or deactivated manually.

Name	dSUID	Connection
plan44.ch P44-DSB-DEH #24196483	...62592B00	<input checked="" type="checkbox"/>

Improvements

- General improvements and error corrections

Software Update Recommendation

Updating to this software-version is recommended if a P44-Bridge was installed within the system.

Documentation

Further information about the features and how to use them can be found in the latest digitalSTROM manual under "Operation and Configuration" or "Installation".

The latest version of the manuals can be found on

<http://www.digitalstrom.com/en/Partner/Support/Operating-manuals/>.

Affected Products

Product	Software Description	New Version	Where to find the version info	Release date
digitalSTROM-Server dSS11 / dSS11-E	dSS Version	1.11.1	In the dS Configurator (Figure 1)	06.04.2016

Installation Notes

- Execute the software update from the digitalSTROM configurator within the menu "*System / System Update*".
- The dSS must be connected to the Internet in order to perform the update. Alternatively, the update can be installed by using a USB thumb drive.
- It is advisable to back up your system settings prior to performing a system update within the menu "*System / System Maintenance*".
- Once the system updates are installed, the system again checks for available updates. In case there are additional dSM firmware updates available, they must be installed manually by clicking the "*Update dSM firmware*" button.
- Please note that the server-apps must be updated separately from the menu "*Apps / Update*".
- A complete list of release notes as well as the USB update file can be found at <http://www.digitalstrom.com/Partner/Support/Software-Updates/>.

How to find the version information

The currently installed software version can be found within the digitalSTROM Configurator.

Apps Aktivitäten Räume Gruppen System **Hardware** Hilfe

Meter

Status	Name	dSM ID	Anzahl Geräte	Neue Geräte Sperren	Leistung (...)	ARM Soft.	DSP Soft.	HW Version
●	F1 EG Wohnraum Küche	00000671	9	deaktiviert	2	1.16.0.0	1.4.1.0	17.1.2.16
●	F1 EG Korridor Schlafzimmer	00000713	10	aktiviert	2	1.16.0.0	1.4.1.0	11.1.21.0

Geräte dSM-Software Version: ARM DSP

Name	dSID	Ausgang	Eingangs Modus	Eingang	Raum Name	Rau...	HW Info	Firm...	Regist...	Inaktiv...	...
Deckenleuchte	0001890c	gedimmt			Schlafzimmer	2	GE-KM200	3.1.7	9 11:50:39		
Taster Schlafzim...	000064f6	deaktiviert			Schlafzimmer	2	GE-TKM210	3.1.4	9 11:48:36		
Paniktaster	00009abb	deaktiviert	Panik		Wohnraum	4	RT-TKM200	3.1.5	9 11:49:43		
Jalousie	00016c22				Schlafzimmer	2	GR-KL200	3.2.1	9 11:48:42		

1.8.0 dSS Version Ansicht aktualisieren Standard Ansicht Deutsch

Fig. 1: Version number for dSS and dSM