



## Global price list

# The electrical installation becomes digital.



Valid from October 1<sup>st</sup>, 2021

All prices listed are average sales prices excluding value added tax.

Reliable and future-proof.



# FUSE BOX

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | ASP excl. VAT |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>dS-AB150</b><br/>Starter Kit EASY</p> <p>The Starter Kit EASY contains the most important components for creating a small digitalSTROM Smart Home installation. Can be expanded as required.</p> <p><u>Content:</u></p> <ul style="list-style-type: none"> <li>• 1x dSS20</li> <li>• 1x dSM20</li> <li>• 1x dSF20</li> <li>• 2x GE-TKM300</li> <li>• 1x SW-TKM200</li> <li>• 1x GR-KL200</li> <li>• 1x GE-SDM300-S</li> </ul> <p>GTIN/EAN: 7640156794717</p>                                                                                                                                                                                                                                                                                                                                | EUR 716,00    |
|   | <p><b>dS-BP200</b><br/>digitalSTROM Basis-Package Fuse Box</p> <p>digitalSTROM basic package fuse box (for 3 circuits).</p> <p><u>Set contents:</u></p> <ul style="list-style-type: none"> <li>• 3 x dSF20</li> <li>• 3 x dSM20</li> <li>• 1 x dSS20</li> </ul> <p>GTIN/EAN: 7640156792508</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | EUR 1.239,00  |
|  | <p><b>dSS20</b><br/>digitalSTROM Server</p> <p>The digitalSTROM server (dSS) with integrated power supply is available with all digitalSTROM meters (dSM) connected by dS485 bus.</p> <ul style="list-style-type: none"> <li>• Integration of IP devices (e.g. Sonos, Philips Hue, V-Zug, Logitech Harmony, etc.) and IP-gateways.</li> <li>• Remote access with your smartphone via the digitalSTROM cloud.</li> <li>• Voice control via Google Home and Amazon Alexa.</li> <li>• Hail service bookable in DE and CH.</li> <li>• Server app allow addition features such as timer, send notifications via push and email, etc.</li> <li>• Configuration via the web browser without any additional software.</li> </ul> <p>GTIN/EAN: 7640156791747</p> <p><u>Further product information</u></p> | EUR 456,00    |
|  | <p><b>dSS22</b><br/>digitalSTROM Server 22</p> <p>REG-Webserver digitalSTROM dSS22 mit integriertem Netzteil für MFH mit Gebäudenetzwerk Breite 36 mm</p> <p>on request</p> <p>GTIN/EAN: 7640156791891</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | on request    |

**Product picture**
**Description**
**ASP excl. VAT**

**dSM25**

digitalSTROM Meter 230 V AC / 50 Hz, 25A

EUR 284,00

The digitalSTROM Meter (dSM) communicates with all digitalSTROM devices and terminals in its circuit. Cross-circuit control is carried out using the dS485 bus. For this, all digitalSTROM meters and an optional digitalSTROM server (dSS) must be connected to each other via a two-wire communication cable.

GTIN/EAN: 7640156792171

[Further product information](#)

**dSM20**

digitalSTROM Meter 230 V AC, 50 Hz, 16A

EUR 207,00

GTIN/EAN: 7640156791785

[Further product information](#)

**dSF20**

digitalSTROM Filter 230 V

EUR 54,00

The digitalSTROM Filter (dSF) is used to filter network-side interference and to decouple other installations from the digitalSTROM system. A maximum of three filters are required per sub-distribution, one filter per line conductor (phase).

GTIN/EAN: 7640156791532

[Further product information](#)

**dS-FD210**

digitalSTROM Filter 16A Device

EUR 108,00

In rare cases, high interference pulses are introduced into the 230 V power supply when operating electrical devices, so that digitalSTROM communication can be impaired. This can be the case, for example, when several switching power supplies are operated simultaneously in close proximity. In such cases, the device filter is installed in front of the interfering device and minimizes the impairment of the grid by high-frequency interference. The dS-FD210 is designed for high-power devices up to 16A such as solar systems, induction stoves. For plug-in devices up to 4A, please use the dS-FD200.

GTIN/EAN: 7640156792843


**dS-FD230**

Gerätefilter 3x32A

EUR 1.190,00

3-phase filter device 32A for heavy load devices (e.g. solar panel installation, EV-charger,...), 558x378x180 mm

GTIN/EAN: 7640156794724

**Product picture****Description****ASP excl. VAT****X-IC-46-0001**

IC DIN-rail Switching Capacity

EUR 116,00

The "dS switching module capacity" in DIN-rail format has been designed to control ventilation devices in the digitalSTROM system. The module is favoured for use in kitchen planning, where the power consumption, e.g. for extractor hoods, is correspondingly higher.

GTIN/EAN: 4260385584601

[Further product information](#)**X-IC-40-0001**

IC DIN-rail Switch-Dim

EUR 109,00

The module is intended for installation in the sub-distribution board, to connect to permanently installed electrical loads such as ceiling or wall luminaires.

GTIN/EAN: 4260385584007

[Further product information](#)**dS-DinClip200**

Mounting clip for DIN-rail

EUR 27,00

Set of 5 pcs, for Din-rail EN 60715 (DE)

The mounting clip is used for mounting other products directly on the Din-rail in the fuse box.

GTIN/EAN: 7640156791617

[Further product information](#)

# LIGHT

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | ASP excl. VAT |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>GE-TKM300</b><br/>LIGHT 1-Step Push-button Terminal with Dimmer</p> <ul style="list-style-type: none"> <li>• Connection for a typical 230 V button dimmer</li> <li>• Output at the terminal</li> <li>• Change brightness in dimmer mode</li> <li>• Switch the connected luminaire on and off via dS commands</li> <li>• Automatic registration of the terminal in the dS system</li> </ul> <p>GTIN/EAN: 7640156792768</p> <p><a href="#">Further product information</a></p>                     | EUR 97,00     |
|   | <p><b>GE-KM300</b><br/>LIGHT Terminal M Universal Dimmer</p> <ul style="list-style-type: none"> <li>• Detects the connected load in dimming mode and automatically selects dimming mode</li> <li>• The dimming curve of the terminal can be changed with the Dim Wizard (app on the dSS server)</li> <li>• Switching operation for non-dimmable lamps/light sources</li> <li>• No button connection</li> </ul> <p>GTIN/EAN: 7640156792775</p> <p><a href="#">Further product information</a></p>       | EUR 76,00     |
|  | <p><b>GE-KL200</b><br/>LIGHT Terminal L Switch</p> <p>Switch 1400W/700VA</p> <ul style="list-style-type: none"> <li>• For connection of large lamp loads</li> <li>• Built-in behind the button</li> <li>• Connected loads can be controlled via the 230V line via digitalSTROM commands.</li> <li>• Switching also possible without digitalSTROM</li> </ul> <p>GTIN/EAN: 4290046000195</p> <p><a href="#">Further product information</a></p>                                                          | EUR 103,00    |
|  | <p><b>GE-UMV200</b><br/>1-10V Universal Module</p> <ul style="list-style-type: none"> <li>• Control of LED and fluorescent lamp ballasts with analogue dimming input (1..10 V)</li> <li>• 4 output channels</li> <li>• 1 input for one operator button</li> <li>• Complete switching off of the connected devices via switch relay</li> </ul> <p>GTIN/EAN: 7640156790603</p> <p><a href="#">Further product information</a></p>                                                                        | EUR 137,00    |
|  | <p><b>GE-SDS200-CW</b><br/>LIGHT Cord Dimmer S, white</p> <p>Switch/Dimmer 150W/105VA</p> <ul style="list-style-type: none"> <li>• Connection to free-standing luminaires for retrofitting</li> <li>• Installation as supply line for the luminaire</li> <li>• Switch on and off via the 230V line via digitalSTROM commands</li> <li>• Change brightness in dimmer mode</li> <li>• Operation via rocker switch with two buttons, with configurable features</li> </ul> <p>GTIN/EAN: 7640156790221</p> | EUR 103,00    |



| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>GE-SDS200-CS</b><br/>LIGHT Cord dimmer S, black</p> <p>Switch/Dimmer 150W/105VA</p> <ul style="list-style-type: none"> <li>• Connection to free-standing luminaires for retrofitting</li> <li>• Installation as supply line for the luminaire</li> <li>• Switch on and off via the 230V line via digitalSTROM commands</li> <li>• Change brightness in dimmer mode</li> <li>• Operation via rocker switch with two buttons, with configurable features</li> </ul> <p>GTIN/EAN: 7640156790238</p> <p><a href="#">Further product information</a></p> | EUR 103,00    |
|    | <p><b>GE-SDM200</b><br/>LIGHT Cord Dimmer M</p> <p>Switch/Dimmer 150W/105VA</p> <ul style="list-style-type: none"> <li>• For connection to free-standing luminaires (floor or table luminaires)</li> <li>• Suitable for retrofitting</li> <li>• Installation in the supply line of the luminaire</li> <li>• Switching on and off via the 230V line via dS commands</li> <li>• Brightness can be changed in dimmer mode</li> </ul> <p>While stock lasts.</p> <p>GTIN/EAN: 4290046000034</p> <p><a href="#">Further product information</a></p>             | EUR 54,00     |
|  | <p><b>GE-SDM300-S</b><br/>Light cord dimmer M 300 black</p> <ul style="list-style-type: none"> <li>• For connection to free-standing luminaires (floor or table luminaire)</li> <li>• Suitable for retrofitting</li> <li>• Installation in the supply line of the luminaire</li> <li>• Switching on and off via the 230 V line using dS commands</li> <li>• Brightness can be changed in dimmer mode</li> </ul> <p>GTIN/EAN: 7640156794489</p> <p><a href="#">Further product information</a></p>                                                         | EUR 98,00     |
|  | <p><b>GE-SDM300-W</b><br/>Light cord dimmer M 300 white</p> <ul style="list-style-type: none"> <li>• For connection to free-standing luminaires (floor or table luminaire)</li> <li>• Suitable for retrofitting</li> <li>• Installation in the supply line of the luminaire</li> <li>• Switching on and off via the 230 V line using dS commands</li> <li>• Brightness can be changed in dimmer mode</li> </ul> <p>GTIN/EAN: 7640156794359</p> <p><a href="#">Further product information</a></p>                                                         | EUR 98,00     |
|  | <p><b>GE-SDM200-CS</b><br/>LIGHT Cord dimmer M (Euro plug), black, pluggable</p> <p>Switch/Dimmer 150W/105VA</p> <ul style="list-style-type: none"> <li>• For connection to free-standing luminaires (floor or table luminaires)</li> <li>• Suitable for retrofitting</li> <li>• Switching on and off via the 230V line via dS commands</li> <li>• Brightness can be changed in dimmer mode</li> </ul> <p>While stock lasts.</p> <p>GTIN/EAN: 7640156791662</p> <p><a href="#">Further product information</a></p>                                        | EUR 62,00     |

**Product picture****Description****ASP excl. VAT****GE-FD300**

digitalSTROM Residual Voltage Filter

Avoids afterglow, flashing or continuous flickering of vulnerable LED/ESL lamps.

GTIN/EAN: 7640156792836

EUR 21,00

# SHADING

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ASP excl. VAT |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>dS-Weather</b><br/>digitalSTROM weather station</p> <p>The weather station measures sensor values for temperature, rain, wind and sunlight, protecting awnings and blinds against wind and rain.</p> <ul style="list-style-type: none"> <li>• Connection via power line (no additional construction costs)</li> <li>• Sensor values are immediately available after connection</li> <li>• Detailed evaluation of the data</li> <li>• Compatible with other applications</li> </ul> <p>GTIN/EAN: 7640156794472</p> <p><a href="#">Further product information</a></p> | EUR 755,00    |
|   | <p><b>GR-KL200</b><br/>SHADE Terminal Block L Shade Shutters</p> <ul style="list-style-type: none"> <li>• Connection of roller shutter drives with mechanical limit switches</li> <li>• Control of connected loads via the 230V line via digitalSTROM commands</li> <li>• Drive can also be operated via the button without digitalSTROM</li> </ul> <p>GTIN/EAN: 4290046000607</p> <p><a href="#">Further product information</a></p>                                                                                                                                      | EUR 92,00     |
|  | <p><b>GR-KL210</b><br/>SHADE Terminal Block L Blinds</p> <ul style="list-style-type: none"> <li>• Connection of awning drives with mechanical limit switches</li> <li>• Control of connected loads via the 230V line via digitalSTROM commands</li> <li>• Drive can also be operated via the button without digitalSTROM</li> </ul> <p>GTIN/EAN: 4290046000614</p> <p><a href="#">Further product information</a></p>                                                                                                                                                      | EUR 92,00     |
|  | <p><b>GR-KL220</b><br/>SHADE Terminal Block L Venetian Blinds</p> <ul style="list-style-type: none"> <li>• Connection of lamella blind drives with adjustable lamella angle and two mechanical limit switches</li> <li>• Control of connected loads via the 230V line via digitalSTROM commands</li> <li>• Drive can also be operated via the button without digitalSTROM</li> </ul> <p>GTIN/EAN: 4290046000621</p> <p><a href="#">Further product information</a></p>                                                                                                     | EUR 92,00     |
|  | <p><b>GR-HKL230</b><br/>SHADE Relay Terminal Block Venetian Blinds, Hirschmann Plugs</p> <ul style="list-style-type: none"> <li>• Connection of lamella blind drives with adjustable lamella angle and two mechanical limit switches</li> <li>• Control of connected loads via the 230V line via digitalSTROM commands</li> </ul> <p>GTIN/EAN: 7640156791587</p> <p><a href="#">Further product information</a></p>                                                                                                                                                        | EUR 137,00    |



# HEATING / AIR CONDITIONING

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ASP excl. VAT |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>X-TK-1536799</b><br/>FTW06 LCD dS Gira E2 rws</p> <p>Multifunctional Room Control Unit (Flush-Mounting) 55 x 55mm<br/>Frame   White matt finish<br/>Manufacturer: Thermokon   Item number 62480</p> <ul style="list-style-type: none"> <li>• Control of ventilation groups</li> <li>• Monitoring and display of the current room temperature and humidity</li> </ul> <p>GTIN/EAN: 4251161900067</p> <p><a href="#">Further product information</a></p>                                                                                 | EUR 261,00    |
|   | <p><b>x-TK-619219</b><br/>Thermokon FTW04 dS</p> <p>Living Room Sensor for Relative Humidity and Temperature (Surface Mounting). Manufacturer: Thermokon   Item number 619219</p> <ul style="list-style-type: none"> <li>• Monitoring of the current room temperature and humidity</li> <li>• Measured values are automatically made available to the digitalSTROM temperature control system</li> </ul> <p>GTIN/EAN: 4251161900036</p> <p><a href="#">Further product information</a></p>                                                   | EUR 169,00    |
|  | <p><b>X-TK-1536751</b><br/>FTW06 dS Gira E2 rws</p> <p>Living Room Sensor for Relative Humidity and Temperature (Flush-Mounting) 55 x 55mm frame   White matt finish<br/>Manufacturer: Thermokon   Item number 624787</p> <ul style="list-style-type: none"> <li>• Monitoring of the current room temperature and humidity</li> <li>• Measured values are automatically made available to the digitalSTROM temperature control system</li> </ul> <p>GTIN/EAN: 4251161900043</p> <p><a href="#">Further product information</a></p>           | EUR 221,00    |
|  | <p><b>X-TK-SR04</b><br/>EnOcean SR04   Wireless temperature room sensor</p> <p>Manufacturer Thermokon</p> <p>Plastered room sensors with radio to measure temperature in residential and office spaces (Surface Mounting). An EnOcean Gateway is required for commissioning.</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                                          | EUR 125,00    |
|  | <p><b>BL-UMV200</b><br/>digitalSTROM Heating/Ventilation 1-10V controller</p> <p>Control of ventilation units (damper drives, fans, ...) with analogue 0 or 1-10 V input via the 230V line with digitalSTROM commands</p> <ul style="list-style-type: none"> <li>• 4 output channels</li> <li>• 1 input for an operating push-button</li> <li>• Complete switching off of the connected devices via a switching relay</li> <li>• Switching off the connected consumers via the digitalSTROM system</li> </ul> <p>GTIN/EAN: 7640156794687</p> | EUR 137,00    |

**Product picture****Description****ASP excl. VAT****BL-KM200**

HEATING/COOLING Terminal Block M for Thermoelectric Control Valves


EUR 59,00

- For connection of thermoelectric actuators
- The terminal block responds directly to the actuating values of a digitalSTROM installation with individual room temperature control
- Switchable for NC/NO valves

While stock lasts.

GTIN/EAN: 7640156790580

[Further product information](#)

**BL-KM300**

HEATING/COOLING Terminal Block M for Thermoelectric Control Valves

EUR 76,00

- For connection of thermoelectric actuators
- The terminal block responds directly to the actuating values of a digitalSTROM installation with individual room temperature control
- Switchable for NC/NO valves

Follow up product for BL-KM200

GTIN/EAN: 7640156794335

[Further product information](#)

**x-TK-SAB05**

EnOcean SAB05

EUR 150,00

Manufacturer Thermokon

Radio controlled valve actuator for room temperature control.

- Bidirectional communication
- Combines actuator, controller and transmitter

[Further product information](#)

**X-IC-72-0001**

IC Humidity Detector

EUR 159,00

Humidity module

The dS Humidity detector module transmits four fixed thresholds 40, 50, 60 and 70% RH humidity to the digitalSTROM system via the connected humidity sensor. The small sensor can be installed in hard-to-reach places, e.g. in the floor or under the roof cladding.

GTIN/EAN: 4260385587206

[Further product information](#)

# PUSH-BUTTONS / ADAPTERS

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>SW-SKM300</b><br/>JOKER 4-way Push-button &amp; Sensor Terminal</p> <ul style="list-style-type: none"> <li>• JOKER 4-way Push-button /Sensor Terminal</li> <li>• Connection of 4 standard 230V buttons or sensors</li> <li>• For buttons from any switch program (light, shading, audio, etc...)</li> </ul> <p>GTIN/EAN: 7640156794458</p> <p><a href="#">Further product information</a></p>                                                                                                                                       | EUR 92,00     |
|   | <p><b>SW-TKM200</b><br/>JOKER 4-way Push-button Terminal</p> <ul style="list-style-type: none"> <li>• Connection of 4 standard 230V buttons</li> <li>• For buttons from any switch program (light, shading, audio, etc.)</li> </ul> <p>GTIN/EAN: 4290046000904</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                                                     | EUR 76,00     |
|  | <p><b>SW-SSL200-FS</b><br/>Cord Switch L (Schuko), black, pluggable</p> <ul style="list-style-type: none"> <li>• For pluggable connection of large electrical loads</li> <li>• For buttons from any switch program (light, shading, audio, etc.)</li> <li>• Control of the connected loads via the 230V line via digitalSTROM commands</li> </ul> <p>GTIN/EAN: 7640156791686</p> <p><a href="#">Further product information</a></p>                                                                                                       | EUR 103,00    |
|  | <p><b>dS-FD200-FS</b><br/>Device Filter, black, pluggable</p> <p>In rare cases, high interference pulses enter the 230V network during the operation of electrical devices, which can disrupt digitalSTROM communication. In such cases, the device filter is inserted into the connection cable of the interfering device and the socket outlet and minimises interference to the mains supply.</p> <p>GTIN/EAN: 7640156791709</p> <p><a href="#">Further product information</a></p>                                                    | EUR 76,00     |
|  | <p><b>X-IC-17-6001</b><br/>IC T4L-PLUG Modul Low Voltage Button</p> <ul style="list-style-type: none"> <li>• Module for integrating 4-way buttons into the digitalSTROM system</li> <li>• Button voltage and external LED supply provided</li> <li>• Features of the dS terminal SW-TKM 200 Up to 16 functions in the dS system</li> <li>• Supplied with connection cable, but without upper part of the button (must be ordered separately)</li> </ul> <p>GTIN/EAN: 4260385581761</p> <p><a href="#">Further product information</a></p> | EUR 139,00    |

| Product picture | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ASP excl. VAT |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|                 | <b>X-IC-18-4001</b><br>IC Push-button T18 (Single Button)                                                                                                                                                                                                                                                                                                                                                                                                           | EUR 112,00    |
|                 | <ul style="list-style-type: none"> <li>Single button with fully integrated digitalSTROM technology</li> <li>Function indicator via internal LED behind the rocker switch</li> <li>L and N connected via integrated spring terminals</li> <li>Internal design only 5mm deeper than standard</li> </ul> GTIN/EAN: 4260385581846<br><a href="#">Further product information</a>                                                                                        |               |
|                 | <b>X-IC-18-5001</b><br>IC Push-button T17-2 (Double Rocker)                                                                                                                                                                                                                                                                                                                                                                                                         | EUR 118,00    |
|                 | 55x55mm frame <ul style="list-style-type: none"> <li>2-way button with fully integrated digitalSTROM technology</li> <li>L and N connected via integrated spring terminals</li> <li>Internal design only 5mm deeper than standard button</li> </ul> GTIN/EAN: 4260385581862<br><a href="#">Further product information</a>                                                                                                                                          |               |
|                 | <b>X-IC-18-6001</b><br>IC Push-button T18-KG (Button come/go)                                                                                                                                                                                                                                                                                                                                                                                                       | EUR 118,00    |
|                 | 55 x 55 mm frame <ul style="list-style-type: none"> <li>Single button with fully integrated digitalSTROM technology</li> <li>Function indicator via internal LED behind the rocker switch</li> <li>L and N connected via integrated spring terminals</li> <li>Internal design only 5mm deeper than standard button</li> <li>Directly interacts with the integrated dS electronics</li> </ul> GTIN/EAN: 4260385581860<br><a href="#">Further product information</a> |               |
|                 | <b>X-IC-18-0001</b><br>IC T18-GE Dimmer Output Button                                                                                                                                                                                                                                                                                                                                                                                                               | EUR 118,00    |
|                 | <ul style="list-style-type: none"> <li>Contact to the button via high-quality pin contacts</li> <li>Easy mounting of the button (due to the flat design) in a simple flush-mounted box</li> <li>Connection of the phase L, neutral conductor N lines and L 1 of the lamp via integrated spring terminals</li> <li>Automatic registration in the circuit distributor</li> </ul> GTIN/EAN: 4260385581815<br><a href="#">Further product information</a>               |               |
|                 | <b>X-IC-17-4001</b><br>IC T4L Push-button Module                                                                                                                                                                                                                                                                                                                                                                                                                    | EUR 139,00    |
|                 | 4-Way Push-button Module <ul style="list-style-type: none"> <li>Integration of extra-low voltage buttons in the dS system</li> <li>Features of the SW-TKM 200 dS terminal</li> <li>Line voltage of the 4 button inputs via the module</li> <li>Installation in flush-mounted box</li> </ul> GTIN/EAN: 4260385581747<br><a href="#">Further product information</a>                                                                                                  |               |
|                 | <b>X-IC-17-5001</b><br>IC T4L-LED Module                                                                                                                                                                                                                                                                                                                                                                                                                            | EUR 139,00    |
|                 | 4-Way/LED Push-button Module <ul style="list-style-type: none"> <li>Integration of extra-low voltage buttons in the dS system</li> <li>Particularly suitable for the integration of upper KNX button parts</li> <li>Button voltage and external LED supply is provided by the T4L LED</li> </ul> GTIN/EAN: 4260385581754<br><a href="#">Further product information</a>                                                                                             |               |

# ROOM CONTROL UNITS

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>X-TK-613439</b><br/>thanos rH S dS white</p> <p>Touch room control unit (flush-mounted)<br/>Manufacturer Thermokon   Item-no. 613439   thanos rH white dS</p> <p>Elegant control unit for complete and central room control. Easy mounting on the wall in combination with a standard flush-mounted device box.</p> <p>GTIN/EAN: 4251161900029</p> <p><a href="#">Further product information</a></p>                                                                                                                                               | EUR 650,00    |
|   | <p><b>X-TK-613446</b><br/>thanos rH S dS black</p> <p>Touch room control unit (flush-mounted)<br/>Manufacturer Thermokon   Item-no. 613446   thanos rH black dS</p> <p>Elegant control unit for complete and central room control. Easy mounting on the wall in combination with a standard flush-mounted device box.</p> <p>GTIN/EAN: 4251161900012</p> <p><a href="#">Further product information</a></p>                                                                                                                                               | EUR 650,00    |
|  | <p><b>X-UL-10230</b><br/>u::lux Switch dS White</p> <p>Intelligent Room Control Unit with 55 x 55 Design (Flush-Mounted)</p> <ul style="list-style-type: none"> <li>• Display and operation of room and range buttons</li> <li>• Control of ventilation and room temperature</li> <li>• Display of current weather and temperature data</li> <li>• Option to report faults or alarms acoustically and visually</li> <li>• Switch between day and night mode</li> </ul> <p>GTIN/EAN: 747719155903</p> <p><a href="#">Further product information</a></p>   | EUR 377,00    |
|  | <p><b>X-UL-10230AB</b><br/>u::lux Switch dS Black</p> <p>Intelligent Room Control Unit with 55 x 55 Design (Flush-Mounted)</p> <ul style="list-style-type: none"> <li>• Display and operation of room and range buttons</li> <li>• Control of ventilation and room temperature</li> <li>• Display of current weather and temperature data</li> <li>• Option to report faults or alarms acoustically and visually</li> <li>• Switch between day and night mode</li> </ul> <p>GTIN/EAN: 747719155958</p> <p><a href="#">Further product information</a></p> | EUR 377,00    |
|  | <p><b>X-UL-10952</b><br/>u::lux AddOn RH+Temp White</p> <p>Additional module for measuring air humidity and temperature.</p> <p>GTIN/EAN: 747719155538</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                                                                                                                                                                             | EUR 50,00     |

| Product picture                                                                     | Description                                                                                                                                                                                                             | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <b>X-UL-10952AB</b><br>u::lux AddOn RH+Temp Black<br><br>Additional module for measuring air humidity and temperature.<br><br>GTIN/EAN: 747719155545<br><br><a href="#">Further product information</a>                 | EUR 50,00     |
|    | <b>X-UL-11092</b><br>u::lux AddOn MD+RH+Temp White<br><br>Additional module for measuring temperature, air humidity & motion sensor.<br><br>GTIN/EAN: 747719155569<br><br><a href="#">Further product information</a>   | EUR 75,00     |
|   | <b>X-UL-11092AB</b><br>u::lux AddOn MD+RH+Temp Black<br><br>Additional module for measuring temperature, air humidity & motion sensor.<br><br>GTIN/EAN: 747719155576<br><br><a href="#">Further product information</a> | EUR 75,00     |
|  | <b>X-UL-11103</b><br>u::lux AddOn CO2+RH+Temp White<br><br>Additional module for measuring CO2, air humidity & temperature.<br><br>GTIN/EAN: 747719155620<br><br><a href="#">Further product information</a>            | EUR 160,00    |
|  | <b>X-UL-11103AB</b><br>u::lux AddOn CO2+RH+Temp Black<br><br>Additional module for measuring CO2, air humidity & temperature.<br><br>GTIN/EAN: 747719155637<br><br><a href="#">Further product information</a>          | EUR 160,00    |
|  | <b>X-IC-19-5000</b><br>IC TLS019 Touch Sensor<br><br>GTIN/EAN: 4260385581952                                                                                                                                            | EUR 133,00    |

# AUTOMATIZATION

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ASP excl. VAT |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>SW-KL200</b><br/>JOKER L Terminal Switch 1400W/700VA</p> <ul style="list-style-type: none"> <li>• Connection of 1-4 different sensors with 230V switching output (e.g. motion detectors, wind and rain sensors)</li> <li>• Sensor states for controlling the loads are transferred to the dS system via the 230V line</li> </ul> <p>GTIN/EAN: 4290046000959</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                                                   | EUR 103,00    |
|   | <p><b>SW-AKM200</b><br/>JOKER 4-Way Automation Terminal Block</p> <ul style="list-style-type: none"> <li>• Connection of 1-4 different sensors with 230V switching output (e.g. motion detectors, wind and rain sensors)</li> <li>• Sensor states for controlling the loads are transferred to the dS system via the 230V line</li> </ul> <p>While stock lasts.</p> <p>GTIN/EAN: 7640156790405</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                      | EUR 69,00     |
|  | <p><b>SW-AKM210</b><br/>JOKER 2-Way Automation Terminal Block</p> <ul style="list-style-type: none"> <li>• Connection of 1-2 different sensors with 230V switching output (e.g. motion detectors, wind and rain sensors)</li> <li>• Sensor states for controlling the loads are transferred to the dS system via the 230V line</li> </ul> <p>GTIN/EAN: 7640156790412</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                                                | EUR 59,00     |
|  | <p><b>SW-UMR200</b><br/>Universal Relay Module</p> <ul style="list-style-type: none"> <li>• Potential-free capture of mains and low voltage signals (e.g. from bell systems)</li> <li>• Switching of loads</li> <li>• Inputs and 2 potential-free change-over contacts</li> <li>• Input states in the digitalSTROM system for triggering processes</li> </ul> <p>GTIN/EAN: 7640156790597</p> <p><a href="#">Further product information</a></p>                                                                                                                                                                                            | EUR 137,00    |
|  | <p><b>X-IC-30-0001</b><br/>IC DIN-rail Automatization</p> <p>The module is used for inserting it into the subdistribution and connecting for sensors with switching output (e.g. motion detectors, wind and rain sensors) provided.</p> <ul style="list-style-type: none"> <li>• Technical function such as SW-AKM200</li> <li>• Connection of up to 4 sensors with 230V switching output to the digitalSTROM installation</li> <li>• Transfers sensor states to the digitalSTROM-system via the 230V powerline</li> <li>• Led status display</li> </ul> <p>GTIN/EAN: 4260385583000</p> <p><a href="#">Further product information</a></p> | EUR 109,00    |



# ACCESS

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                            | ASP excl. VAT |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>X-IC-64-1001</b><br/>IC T12 Plug PIR Euro</p> <p>Plug-in motion detector Schuko version (Euro)</p> <ul style="list-style-type: none"><li>• Transmits motion messages directly to the digitalSTROM system</li><li>• Built-in digitalSTROM technology in the connector part</li><li>• Can be plugged into another location at any time</li></ul> <p>GTIN/EAN: 4260385586414</p> <p><a href="#">Further product information</a></p> | EUR 117,00    |
|   | <p><b>X-IC-60-0001</b><br/>IC PIR Sensor</p> <p>Motion detector (55x55mm frame)</p> <ul style="list-style-type: none"><li>• Transmits motion messages directly to the dS system</li><li>• Triggering of individual safety functions</li><li>• Linking of movement via the APP Scene Responder</li></ul> <p>GTIN/EAN: 4260385586001</p> <p><a href="#">Further product information</a></p>                                              | EUR 139,00    |
|  | <p><b>X-IC-50-0001</b><br/>IC DIN-rail Bell Module</p> <p>The module in DIN-rail layout is designed for 2 bell circuits. It processes the incoming 8VAC or 12VAC ring signals and sends them to the digitalSTROM network.</p> <p>GTIN/EAN: 4260385585004</p> <p><a href="#">Further product information</a></p>                                                                                                                        | EUR 116,00    |

# SECURITY

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                | ASP excl. VAT |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <b>X-TK-727297</b><br>SRW02 - EnOcean wireless window contact<br><br>Wireless window contact for status monitoring of windows and doors in connection with the receiver interfaces SRC-x and higher-level monitoring system. Status monitoring of windows and doors. Transmission via wireless telegrams to the receiver in line with EnOcean-standard.<br><br><a href="#">Further product information</a> | EUR 100,00    |
|   | <b>RT-SDM200</b><br>SECURITY Cord Push-Button M Panic<br><br><ul style="list-style-type: none"> <li>• Panic button function (digitalSTROM triggers "alarm" in the house)</li> <li>• Optional: Control of connected signal lamps via the 230V line via digitalSTROM commands</li> </ul> GTIN/EAN: 4290046000089<br><br><a href="#">Further product information</a>                                          | EUR 87,00     |
|  | <b>X-IC-74-0001</b><br>IC Glass Breakage Sensor<br><br><ul style="list-style-type: none"> <li>• Passive piezo sensor</li> <li>• For detection of glass breakage</li> </ul> The information is made available to the digitalSTROM system in conjunction with the dS Alarm 400 module.<br><br>GTIN/EAN: 4260385587404<br><br><a href="#">Further product information</a>                                     | EUR 39,00     |
|  | <b>X-IC-70-0001</b><br>IC Water Sensor<br><br><ul style="list-style-type: none"> <li>• Notification of faults via the digitalSTROM system via push message (smartphone/email)</li> <li>• Connection to the dS Alarm 400 module</li> </ul> GTIN/EAN: 4260385587008<br><br><a href="#">Further product information</a>                                                                                       | EUR 29,00     |
|  | <b>X-IC-90-0001</b><br>IC Alarm 400 Module<br><br>The "dS Alarm 400" module is designed to convert up to four low voltage signals to the digitalSTROM system. This enables for example, 4 window contacts, glass breakage or water sensors to be monitored by wire (closed circuit principle).<br><br>GTIN/EAN: 4260385589002<br><br><a href="#">Further product information</a>                           | EUR 139,00    |

# GATEWAYS

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <b>X-TK-637442</b><br>STC-dS<br><br>EnOcean receiver/transmitter digitalSTROM<br><br>The STC-dS Gateway is used to expand a digitalSTROM-system with components, in particular sensors, heating valves and touch switches, which are equipped with EnOcean wireless technology. Connection to the digitalSTROM server is via an Ethernet network connection.<br><br>GTIN/EAN: 4251161900081<br><br><a href="#">Further product information</a>                                                                                                                                                                                                                                                                                      | EUR 425,00    |
|                                                                                     | <b>x-P44-DSB-E2</b><br>Plan44 Gateway EnOcean<br><br>Manufacturer Part No. P44- DSB-E2<br>Incl. power supply and LAN cable<br><br>P44-DSB-E2 expands your digitalSTROM system with push-buttons, sensors and actuators from third-party manufacturers. P44-DSB-E2 uses the new digitalSTROM virtual device connector technology to seamlessly integrate new devices, making them as easy for users to use as normal digitalSTROM components. A single P44-DSB-E2 device connects many wireless pushbuttons, sensors and actuators as well as Philips "hue" colour LED lights.<br><br>GTIN/EAN: 7640161170056<br><br><a href="#">Further product information</a>                                                                     | EUR 414,00    |
|  | <b>x-P44-DSB-DEH2</b><br>Plan44 Gateway Dali, EnOcean, Hue<br><br>Manufacturer Part No. P44-DSB-DEH2<br>Incl. power supply and green plug-in terminal<br><br>P44-DSB-DEH2 expands your digitalSTROM system with lamps, push-buttons, sensors and actuators from third-party manufacturers. P44-DSB-DEH2 uses the new digitalSTROM virtual device connector technology to seamlessly integrate new devices, making them as easy for users to use as normal digitalSTROM components. A single P44-DSB-DEH2 device connects up to 64 dimmable DALI luminaires, many wireless pushbuttons, sensors and actuators and Philips "hue" colour LED lights.<br><br>GTIN/EAN: 7640161170063<br><br><a href="#">Further product information</a> | EUR 998,00    |
|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |               |

# BOLD SMARTLOCKS

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ASP excl. VAT |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <p><b>X-BLD-3530-EUR</b><br/>BOLD Smartlock Cylinder E30I35 Duracore</p> <p>Inside: 30-35 mm<br/>Outside: 30-45mm</p> <p>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.</p> <p>GTIN/EAN: 8719992868957</p>                                   | EUR 158,82    |
|   | <p><b>X-BLD-3035-EURB</b><br/>BOLD Smartlock Cylinder E30I35 SX33 Duracore</p> <p>Interiour length: 30mm to 35mm<br/>Exteriour length: 30mm to 45mm</p> <p>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.</p> <p>GTIN/EAN: 8719992868018</p> | EUR 167,23    |
|  | <p><b>X-BLD-3045-EURB</b><br/>BOLD Smartlock Cylinder E30I45 SX43 Duracore</p> <p>Interior: 40-45 mm<br/>Exterior: 30-45 mm</p> <p>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.</p> <p>GTIN/EAN: 8719992868025</p>                         | EUR 175,63    |
|  | <p><b>X-BLD-3055-EURC</b><br/>BOLD Smartlock Cylinder E30I55 Duracore</p> <p>Interiour: 50-55 mm<br/>Exteriour: 30-45 mm</p> <p>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.</p> <p>GTIN/EAN: 8719992868896</p>                            | EUR 184,03    |

| Product picture                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                     | ASP excl. VAT |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|    | <b>X-BLD-3065-EURC</b><br>BOLD Smartlock Cylinder E30I65 SX63 Duracore                                                                                                                                                                                                                                                                                                                                                                          | EUR 192,44    |
|                                                                                     | Interieur: 60-65 mm<br>Extérieur: 30-45 mm<br><br>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.<br><br>GTIN/EAN: 8719992868889 |               |
|    | <b>X-BLD-5035-EURC</b><br>BOLD Smartlock Cylinder E50I35 SX35 Duracore                                                                                                                                                                                                                                                                                                                                                                          | EUR 184,03    |
|                                                                                     | Interieur: 30-35 mm<br>Extérieur: 50-65 mm<br><br>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.<br><br>GTIN/EAN: 8719992868797 |               |
|  | <b>X-BLD-5045-EURC</b><br>BOLD Smartlock Cylinder E50I45 SX45 Duracore                                                                                                                                                                                                                                                                                                                                                                          | EUR 192,44    |
|                                                                                     | Interieur: 40-45 mm<br>Extérieur: 50-65 mm<br><br>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.<br><br>GTIN/EAN: 8719992868780 |               |
|  | <b>X-BLD-5055-EURC</b><br>BOLD Smartlock Cylinder E50I55 SX55 Duracore                                                                                                                                                                                                                                                                                                                                                                          | EUR 200,84    |
|                                                                                     | Innen: 50-55 mm<br>Aussen: 50-65 mm<br><br>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.<br><br>GTIN/EAN: 8719992868766        |               |
|  | <b>X-BLD-5065-EURC</b><br>BOLD Smartlock Cylinder E50I65 SX65 Duracore                                                                                                                                                                                                                                                                                                                                                                          | EUR 209,24    |
|                                                                                     | Interieur: 60-65 mm<br>Extérieur: 50-65 mm<br><br>Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG*** certificate for highest mechanical security, battery life over 2 years.<br><br>GTIN/EAN: 8719992868773 |               |

**Product picture****Description****ASP excl. VAT****X-BLD-3035-GWC**

Bundle BOLD Smartlock E30I35 SX33 + Bridge

EUR 234,45

Interiour: 30-35 mm

Exteriour: 30-45 mm

Set Bold Connect + Bluetooth-connected smart cylinder for easy and secure access without keys. Replaces Euro profile cylinders, easy self-installation, access via smartphone app (iOS, Android) or backup-pin, Bluetooth 4.0 or higher, two-factor authentication and end-to-end data encryption, SKG\*\*\* certificate for highest mechanical security, battery life over 2 years.

GTIN/EAN: 8719992868728

**X-BLD-GW-EURB**

BOLD Connect Bridge

EUR 83,19

Bold Connect is an interface to connect your Bold Smart Lock to the internet. Remote activation of your Bold Smart Lock from anywhere using a mobile app. Easy set-up thanks to automatic recognition of the available locks. Possibility to connect several locks to one Bold Connect. End-to-end data encryption on all connected devices.

GTIN/EAN: 8719992868032

# FEATURES



With this basic package you can equip your meter cabinet with the basis for your digitalSTROM system. Once installed you can pair the desired devices, lamps and much more with digitalSTROM.

## The digitalSTROM Basic Package contains

|                            |       |          |      |      |
|----------------------------|-------|----------|------|------|
| <b>digitalSTROM Filter</b> | dSF20 | <b>3</b> | p.p. | 54€  |
| <b>digitalSTROM Meter</b>  | dSM20 | <b>3</b> | p.p. | 207€ |
| <b>digitalSTROM-Server</b> | dSS20 | <b>1</b> | p.p. | 456€ |

# 1.239 €\*

The basic package is intended for 3 groups. For each additional group you simply order an extra dSM20 (digitalSTROM Meter).

\* VAT excl. and plus shipping costs

## The new digitalSTROM App

The perfect App for the perfect Smart Home.

[digitalstrom.com/app](http://digitalstrom.com/app)



For iOS&Android  
**The new  
digitalSTROM  
App!**



# CONTROL AND CONFIGURATION

---

## digitalSTROM Smartphone und Tablet Apps

Control and configuration



dS Smart Home  
for iOS, Android



Mobile Remote Control

## digitalSTROM Home Apps

Visualization and notification



Email Notifications



Push Notification



Consumption Indicator



Custom States

## digitalSTROM Home Apps



LED Setting DIM Wizard



dS Doku

## digitalSTROM Home Apps

Automation



Timer



Custom Actions



Activity Monitoring



Scene Responder



Activity Monitoring



Auto Off



Motion Sensor



Climate Control



Ventilation Control

## digitalSTROM Services



Remote Connectivity  
my.digitalSTROM



IFTTT



Google Home  
(only available in German)



Amazon Alexa

## Integration Apps



Bosch



DoorBird



Dornbracht



Harmony



Hekatron



HUE



Netatmo



Panasonic



REHAU  
Nea Smart



Siemens



Smarter



SONOS



Thanos



Tielsa



u::Lux



V-ZUG

Any questions?

Phone +41 44 445 99 67

E-Mail [info@digitalstrom.com](mailto:info@digitalstrom.com)

Mo. to Fr. from 08:00 am - 05:00 pm  
(normal charges for landline calls)